

Lipstick - "Cool Strawberry"

Ref: CC0294

Color Cosmetics

Product Name	INCI Name	%WW	Supplier
A			
Ewacera 34	Carnauba Wax	4.50	www.wagnerlanolin.de
Ewacera 12	Bees Wax	3.50	www.wagnerlanolin.de
Ewacera 42	Candelilla Wax	4.00	www.wagnerlanolin.de
TeCero-Wax 1030 K	Microcrystalline Wax	7.20	www.wax-tromm.de
Walrath Synthetic	Cetyl Palmitate	2.00	www.kahlwax.de
Softisan 100	Hydrogenated Coco-Glycerides	5.00	www.sasolwax.com
Penreco Blond	Petrolatum	5.80	www.penreco.com
Luvitol EHO	Cetearyl Octanoate	10.70	www.basf.com
dl-alpha-Tocopherylacetate	Tocopheryl Acetate	0.50	www.dsm.com
Castor Oil	Castor Oil	39.60	www.riedeldehaen.com
B			
Prestige® Soft Fire-red	Mica (and) Iron Oxides	6.00	www.sudarshan.com
Prestige® Silk Red	Mica (and) Titanium Dioxide	6.00	www.sudarshan.com
Prestige® Bright Bronze	Mica (and) Iron Oxides	5.00	www.sudarshan.com
Rokonsal SSH-1	Methylparaben, Propylparaben	0.20	www.biochema.com

Procedure

1. Heat phase A to 85°C
2. Add phase B to phase A and mix
3. Pour into a lipstick mould at 75°C

Stability

Stable for at least 6 months at RT and 40°C.

Sudarshan Chemical Industries Ltd.

Global Head Office:
162 Wellesley Road, Pune
411001, India
Tel : +91 20 260 58 888
Fax : +91 20 260 58 222
e-mail : cosmeticpigments@sudarshan.com

Sudarshan Europe BV

Crystal tower, 24th floor, Orlyplein 10,
PO Box 58176, 1040 HD, Amsterdam,
The Netherlands
Tel: +31 (0)20 475 2311
Fax: +31 (0)20 475 2312
e-mail: eu@sudarshan.com

Sudarshan North America Inc.

76 N. Walnut street,
Ridgewood NJ,
USA 07450.
Tel: +1 201 882 2135
Fax: +1 201 882 0157
e-mail: usa@sudarshan.com