

ECOCERT Loose Powder - "with Epicutin TT"
Ref: CC0591

Color Cosmetics

Product Name	INCI Name	%WW	Supplier
A		100.00	
Mica	Mica	62.50	-
Epicutin TT	Cyclodextrin (and) Melaleuca Alternifolia (Tea Tree) Leaf Oil	7.50	www.clr-berlin.com
Prestige® Soft Bronze	Mica (and) Iron Oxides	3.10	www.sudarshan.com
Prestige® Soft Copper	Mica (and) Iron Oxides	1.60	www.sudarshan.com
Prestige® Silk Silver	Mica (and) Titanium Dioxide	15.60	www.sudarshan.com
Prestige® Sun Gold	Mica (and) Titanium Dioxide (and) Iron Oxides	1.60	www.sudarshan.com
B			
Myritol 312	Caprylic/ Capric Triglyceride	8.10	www.cognis.com

Procedure

1. Weigh in phase A and mix with speedmixer (30s/ 2000rpm)
2. Add phase B to phase A and mix again with speedmixer (30s/ 2500rpm)
3. Pour into an appropriate container

Stability

Stable for at least 6 months at RT and 40°C.
Stable for at least 1 month at 50°C.

Sudarshan Chemical Industries Ltd.

Global Head Office:
162 Wellesley Road, Pune
411001, India
Tel : +91 20 260 58 888
Fax : +91 20 260 58 222
e-mail : cosmeticpigments@sudarshan.com

Sudarshan Europe BV

Crystal tower, 24th floor, Orlyplein 10,
PO Box 58176, 1040 HD, Amsterdam,
The Netherlands
Tel: +31 (0)20 475 2311
Fax: +31 (0)20 475 2312
e-mail: eu@sudarshan.com

Sudarshan North America Inc.

76 N. Walnut street,
Ridgewood NJ,
USA 07450.
Tel: +1 201 882 2135
Fax: +1 201 882 0157
e-mail: usa@sudarshan.com