

Mousse Make-up - "Sand Beige"

Color Cosmetics

Ref: CC0649

Product Name	INCI Name	%WW	Supplier
A		100.00	
Xiameter PMX-0245	Cyclopentasiloxane	9.80	www.dowcorning.com
Cyclosiloxane			
Prisorine 3758	Hydrogenated Polyisobutene	7.80	www.croda.com
Arlamol HD	Isohexadecane	7.50	www.uniqema.com
	Cyclopentasiloxane, Dimethicone/Vinyltrimethylsiloxysilicate Crosspolymer	26.00	www.wacker.com
Wacker Belsil RG 100			
Wickenol 150	Isostearyl Neopentanoate	11.00	www.alzointernational.com
Jojoba Butter LM	Simmondsia Chinensis (Jojoba) Butter	3.30	www.desertwhale.com
Jojoba Butter HM	Simmondsia Chinensis (Jojoba) Butter	2.20	www.desertwhale.com
Wacker Belsil MM 8030 VP	C30 - 45 Alkyl Methicone	2.50	www.wacker.com
Wacker SDM 5055 VP	Stearyl Dimethicone	2.60	www.wacker.com
B			
Dow Corning 9506 Powder	Dimethicone/ Vinyl Dimethicone Crosspolymer	16.00	www.dowcorning.com
Covasilic 15	Silica Dimethyl Silylate	0.20	www.lcw.fr
Talc Powder	Talc	5.80	www.riedeldehaen.com
Prestige® Soft Beige ST	Mica (and) Titanium Dioxide (and) Iron Oxides (and) Triethoxy Caprylylsilane	5.00	www.sudarshan.com
C			
Phenonip	Phenoxyethanol (and) Methylparaben (and) Butylparaben (and) Ethylparaben (and) Propylparaben (and) Isobutylparaben	0.30	www.clariant.com

Procedure

1. Mix ingredients of phase A and heat until melted
2. Pre-mix phase B with speed mixer (2400 rpm, 1 min)
3. Add half part of molten phase A to phase B and mix with speed mixer (2400 rpm, 30 s)
4. Add remainder of phase A to phase B and mix with speed mixer (2400 rpm, 30 s)
5. Add phase C and mix with speed mixer (2400 rpm, 30 s)
6. Cool down to RT

Sudarshan Chemical Industries Ltd.

Global Head Office:
162 Wellesley Road, Pune
411001, India
Tel : +91 20 260 58 888
Fax : +91 20 260 58 222
e-mail : cosmeticpigments@sudarshan.com

Sudarshan Europe BV

Crystal tower, 24th floor, Orlyplein 10,
PO Box 58176, 1040 HD, Amsterdam,
The Netherlands
Tel: +31 (0)20 475 2311
Fax: +31 (0)20 475 2312
e-mail: eu@sudarshan.com

Sudarshan North America Inc.

76 N. Walnut street,
Ridgewood NJ,
USA 07450.
Tel: +1 201 882 2135
Fax: +1 201 882 0157
e-mail: usa@sudarshan.com

Stability

Stable for at least 6 months at RT and 40°C.

Stable for at least 1 month at 50°C.

Sudarshan Chemical Industries Ltd.

Global Head Office:
162 Wellesley Road, Pune
411001, India
Tel : +91 20 260 58 888
Fax : +91 20 260 58 222
e-mail : cosmeticpigments@sudarshan.com

Sudarshan Europe BV

Crystal tower, 24th floor, Orlyplein 10,
PO Box 58176, 1040 HD, Amsterdam,
The Netherlands
Tel: +31 (0)20 475 2311
Fax: +31 (0)20 475 2312
e-mail: eu@sudarshan.com

www.sudarshan.com

Sudarshan North America Inc.

76 N. Walnut street,
Ridgewood NJ,
USA 07450.
Tel: +1 201 882 2135
Fax: +1 201 882 0157
e-mail: usa@sudarshan.com