

## Glossy Lipstick - "Glam Candy"

Ref: CC0721

Color Cosmetics

Product Name	INCI Name	%WW	Supplier
<b>A</b>		100.00	
Ewacera 34	Carnauba Wax	1.05	<a href="http://www.wagnerlanolin.de">www.wagnerlanolin.de</a>
Ewacera 12	Bees Wax	6.00	<a href="http://www.wagnerlanolin.de">www.wagnerlanolin.de</a>
Ewacera 42	Candelilla Wax	8.50	<a href="http://www.wagnerlanolin.de">www.wagnerlanolin.de</a>
Lipex Cocoasoft	Theobroma Cocoa Butter	6.50	<a href="http://www.aak.com">www.aak.com</a>
KP-561 P	Acrylates/ Stearyl Acrylate/ Dimethicone Methacrylate Copolymer	3.50	<a href="http://www.shinetsu.co.jp">www.shinetsu.co.jp</a>
Walrath Synthetic	Cetyl Palmitate	3.60	<a href="http://www.kahlwax.de">www.kahlwax.de</a>
Myritol 312	Caprylic/ Capric Triglyceride	6.20	<a href="http://www.cognis.com">www.cognis.com</a>
Luvitol EHO	Cetearyl Ethylhexanoate	19.95	<a href="http://www.basf.com">www.basf.com</a>
Lipex L´sens	Soybean Glycerides (and) Butyrospermum Parkii	7.70	<a href="http://www.aak.com">www.aak.com</a>
Sebumol LPC	Lauryl PCA	3.00	<a href="http://www.zschimmer-schwarz.de">www.zschimmer-schwarz.de</a>
<b>B</b>			-
dl-alpha-Tocopheryl Acetate	Tocopheryl Acetate	0.5	<a href="http://www.jandekker.com">www.jandekker.com</a>
Dow Corning 5562 Carbinol Fluid	Bis-Hydroxyethoxypropyl Dimethicone	24	<a href="http://www.dowcorning.com">www.dowcorning.com</a>
Red 27 (33% Dispersion in Castor Oil)	Red 27 (and) Castor Oil	0.50	<a href="http://www.sunchemical.com">www.sunchemical.com</a>
<b>C</b>			-
Prestige Ruby	Mica (and) Titanium Dioxide (and) Carmine	2.00	<a href="http://www.sudarshan.com">www.sudarshan.com</a>
Prestige Glamour Silver	Mica (and) Titanium Dioxide	7.00	<a href="http://www.sudarshan.com">www.sudarshan.com</a>

### Procedure

1. Weigh in phase A and heat up to 85°C
2. When phase A is melted add phase B and heat up again to 85°C
3. Add phase C to phase AB and stir until homogenous
4. Pour into a lipstick mould at 75°C

### Stability

Stable for at least 2 months at RT and 40°C.  
Stable for at least 1 month at 50°C.

#### Sudarshan Chemical Industries Ltd.

Global Head Office:  
162 Wellesley Road, Pune  
411001, India  
Tel : +91 20 260 58 888  
Fax : +91 20 260 58 222  
e-mail : [cosmeticpigments@sudarshan.com](mailto:cosmeticpigments@sudarshan.com)

#### Sudarshan Europe BV

Crystal tower, 24th floor, Orlyplein 10,  
PO Box 58176, 1040 HD, Amsterdam,  
The Netherlands  
Tel: +31 (0)20 475 2311  
Fax: +31 (0)20 475 2312  
e-mail: [eu@sudarshan.com](mailto:eu@sudarshan.com)

#### Sudarshan North America Inc.

76 N. Walnut street,  
Ridgewood NJ,  
USA 07450.  
Tel: +1 201 882 2135  
Fax: +1 201 882 0157  
e-mail: [usa@sudarshan.com](mailto:usa@sudarshan.com)