

Eco-Pure HD Beauty - "Foundation"

Ref: CC0673

Color Cosmetics

Product Name	INCI Name	%WW	Supplier
A			
Water	Aqua	70.10	
Glycerin	Glycerin	5.00	
Veegum Pure	Magnesium Aluminum Silicate	2.50	www.rtvanderbilt.com
Rhodicare S	Xanthan Gum	0.40	www.rhodia-novecare.com
B			
Emulium Kappa	Candellila/Jojoba/Rice Bran Polyglyceryl-3 Esters (and) Glyceryl Stearate (and) Cetearyl Alcohol (and) Sodium Stearoyl Lactylate	4.00	www.gattefosse.com
Lanette 16	Cetyl Alcohol	2.00	www.cognis.com
Eutanol G	Octyldodecanol	4.00	www.cognis.com
Lipocire A Pellets	Hydrogenated Palm Kernel Glycerides (and) Hydrogenated Palm Glycerides	2.00	www.gattefosse.com
Cetiol OE	Dicaprylyl Ether	5.00	www.cognis.com
C			
Prestige Super Soft Silver	Mica (and) Titanium Dioxide	2.62	www.sudarshan.com
Prestige Super Soft Bronze	Mica (and) Iron Oxides	0.88	www.sudarshan.com
Prestige Super Soft Copper	Mica (and) Iron Oxides	0.50	www.sudarshan.com
D			
Preservative	Preservative	1.00	

Procedure

1. Weigh in phase A and phase B and heat up separately to 70°C
2. Add phase B to phase A under high shear
3. After emulsifying let stir for 10 minutes by 2000rpm
4. Cool down while stirring, add phase C and phase D
5. Pour into an appropriate container

Stable for at least 6 months at RT and 40°C.

Stable for at least 1 month at 50°C.

Sudarshan Chemical Industries Ltd.

Global Head Office:
162 Wellesley Road, Pune
411001, India
Tel : +91 20 260 58 888
Fax : +91 20 260 58 222
e-mail : cosmeticpigments@sudarshan.com

Sudarshan Europe BV

Crystal tower, 24th floor, Orlyplein 10,
PO Box 58176, 1040 HD, Amsterdam,
The Netherlands
Tel: +31 (0)20 475 2311
Fax: +31 (0)20 475 2312
e-mail: eu@sudarshan.com

Sudarshan North America Inc.

76 N. Walnut street,
Ridgewood NJ,
USA 07450.
Tel: +1 201 882 2135
Fax: +1 201 882 0157
e-mail: usa@sudarshan.com