

## Shower Gel - "Sparkling Silver"

Ref: CL0027

Cleansing

Product Name	INCI Name	%WW	Supplier
<b>A</b>		100.00	
Prestige* Sparkling Silver	Mica (and) Titanium Dioxide	0.01	<a href="http://www.sudarshan.com">www.sudarshan.com</a>
Water	Aqua	67.87	-
FD&C Blue No.1 (0.5% aqueous solution)	Blue 1	0.07	<a href="http://www.sunchemical.com">www.sunchemical.com</a>
FD&C Yellow No.5 (0.5% aqueous solution)	Yellow 5	0.08	<a href="http://www.sunchemical.com">www.sunchemical.com</a>
Carbopol ETD 2020	Acrylates C 10-30 Alkyl Acrylate Crosspolymer	1.00	<a href="http://www.noveon.com">www.noveon.com</a>
1,2 - Propanediol	Propylene Glycol	1.00	<a href="http://www.vwr.com">www.vwr.com</a>
<b>B</b>			
Texapon T 42	TEA-Lauryl Sulfate	22.00	<a href="http://www.cognis.com">www.cognis.com</a>
Rewomid DC 212 5	Cocamide Dea	3.00	<a href="http://www.degussa.com">www.degussa.com</a>
Tego Betain F 50	Cocamidopropyl Betaine	4.00	<a href="http://www.degussa.com">www.degussa.com</a>
Edeta BD	Disodium EDTA	0.05	<a href="http://www.basf.com">www.basf.com</a>
<b>C</b>			
Triethanolamine	Triethanolamine	0.30	<a href="http://www.vwr.com">www.vwr.com</a> <a href="http://www.schuelke-mayr.com">www.schuelke-mayr.com</a>
Euxyl PE 90 10	Phenoxyethanol, Ethylglycerin	0.60	<a href="http://www.schuelke-mayr.com">www.schuelke-mayr.com</a>

### Procedure

1. Disperse Carbopol in phase A
2. Heat phase A to 65°C
3. Add one by one the ingredients of Phase B
4. Cool down and continue to stir. When 40-45°C are reached add phase C

### Stability

Stable for at least 6 months at RT and 40°C

#### Sudarshan Chemical Industries Ltd.

Global Head Office:  
162 Wellesley Road, Pune  
411001, India  
Tel : +91 20 260 58 888  
Fax : +91 20 260 58 222  
e-mail : [cosmeticpigments@sudarshan.com](mailto:cosmeticpigments@sudarshan.com)

#### Sudarshan Europe BV

Crystal tower, 24th floor, Orlyplein 10,  
PO Box 58176, 1040 HD, Amsterdam,  
The Netherlands  
Tel: +31 (0)20 475 2311  
Fax: +31 (0)20 475 2312  
e-mail: [eu@sudarshan.com](mailto:eu@sudarshan.com)

#### Sudarshan North America Inc.

76 N. Walnut street,  
Ridgewood NJ,  
USA 07450.  
Tel: +1 201 882 2135  
Fax: +1 201 882 0157  
e-mail: [usa@sudarshan.com](mailto:usa@sudarshan.com)