

## Shower Gel - "Dazzling Silver"

Ref: CL0030

Cleansing

| Product Name                           | INCI Name                                     | %WW    | Supplier   |
|--|---|--------|--|
| <b>A</b>                               |   |        |  |
| Prestige® Dazzling Silver              | Mica (and) Titanium Dioxide                   | 0.01   | <a href="http://www.sudarshan.com">www.sudarshan.com</a>         |
| Water                                  | Aqua  | 67.94  | -  |
| FD&C Blue No.1 (0.5% aqueous solution) | Blue  | 1 0.10 | <a href="http://www.sunchemical.com">www.sunchemical.com</a>     |
| Carbopol ETD 2020                      | Acrylates/ C10-30 Alkyl Acrylate Crosspolymer | 1.00   | <a href="http://www.noveon.com">www.noveon.com</a>               |
| 1, 2- Propanediol                      | Propylene Glycol                              | 1.00   | <a href="http://www.vwr.com">www.vwr.com</a>                     |
| <b>B</b>                               |   |        |  |
| Texapon T 42                           | TEA- Lauryl Sulfate                           | 22.00  | <a href="http://www.cognis.com">www.cognis.com</a>               |
| Rewomid DC 212 S                       | Cocamide DEA                                  | 3.00   | <a href="http://www.degussa.com">www.degussa.com</a>             |
| Tego Betain F 50                       | Cocamidopropyl Betaine                        | 4.00   | <a href="http://www.degussa.com">www.degussa.com</a>             |
| Edeta BD                               | Disodium EDTA                                 | 0.05   | <a href="http://www.basf.com">www.basf.com</a>                   |
| <b>C</b>                               |   |        |  |
| Triethanolamine                        | Triethanolamine                               | 0.30   | <a href="http://www.vwr.com">www.vwr.com</a>                     |
| Euxyl PE 9010                          | Phenoxyethanol,<br>Ethylhexylglycerin         | 0.60   | <a href="http://www.schuelke-mayr.com">www.schuelke-mayr.com</a> |

### Procedure

1. Disperse Carbopol in phase A
2. Heat phase A to 65°C
3. Add the ingredients of phase B one by one
4. Cool down to 40-45°C and continue to stir, add phase C

### Stability

Stable for at least 6 months at RT and 40°C

#### Sudarshan Chemical Industries Ltd.

Global Head Office:  
162 Wellesley Road, Pune  
411001, India  
Tel : +91 20 260 58 888  
Fax : +91 20 260 58 222  
e-mail : [cosmeticpigments@sudarshan.com](mailto:cosmeticpigments@sudarshan.com)

#### Sudarshan Europe BV

Crystal tower, 24th floor, Orlyplein 10,  
PO Box 58176, 1040 HD, Amsterdam,  
The Netherlands  
Tel: +31 (0)20 475 2311  
Fax: +31 (0)20 475 2312  
e-mail: [eu@sudarshan.com](mailto:eu@sudarshan.com)

#### Sudarshan North America Inc.

76 N. Walnut street,  
Ridgewood NJ,  
USA 07450.  
Tel: +1 201 882 2135  
Fax: +1 201 882 0157  
e-mail: [usa@sudarshan.com](mailto:usa@sudarshan.com)