

Daily Conditioner - "Glorious Gold"

Hair Care

Ref: HC0773

Product Name	INCI Name	%WW	Supplier
A			
Lanette O	Cetearyl Alcohol	2.50	www.cognis.com
Tego Amid S 18	Stearamidopropyl Dimethylamine	1.50	www.evonik.com
Sympatens-ACS/250 G	Ceteareth-25	1.00	www.kolb.ch
Imwitor 960 K	Glyceryl Stearate	1.00	www.sasolwax.com
Varisoft 442 100 P	Quaternium-18	0.50	www.evonik.com
B			
Belsil CM 1000	Cyclopentasiloxane, Dimethiconol	2.00	www.wacker.com
C			
Prestige Bright Sun Gold	Mica (and) Titanium Dioxide (and) Iron Oxides	0.30	www.sudarshan.com
Water	Aqua	56.70	
Citric Acid (20%)	Citric Acid (and) Water	0.80	www.croda.com
Pricerine 9091	Glycerin	2.00	
D-Panthenol 75 L	Panthenol	0.50	
D			
Water	Aqua	30.00	www.dow.com
Cellose HEC QP-52000H	Hydroxyethylcellulose	0.60	
E			
Pastel Phenonip	Fragrance	0.10	www.drom.com www.clariant.com
	Phenoxyethanol (and)	0.50	
	Methylparaben (and)		
	Butylparaben (and)		
	Ethylparaben (and)		
	Propylparaben (and) Isobutylparaben		

Procedure

1. Weigh in phase D and let swell for 30 minutes
2. Heat phase A to 75°C
3. Add phase B to phase A
4. Heat phase C to 75°C and add to phase AB
5. Cool down to 60°C and add phase D
6. Cool down to RT and add the ingredients of phase E

Sudarshan Chemical Industries Ltd.

Global Head Office:
162 Wellesley Road, Pune
411001, India
Tel : +91 20 260 58 888
Fax : +91 20 260 58 222
e-mail : cosmeticpigments@sudarshan.com

Sudarshan Europe BV

Crystal tower, 24th floor, Orlyplein 10,
PO Box 58176, 1040 HD, Amsterdam,
The Netherlands
Tel: +31 (0)20 475 2311
Fax: +31 (0)20 475 2312
e-mail: eu@sudarshan.com

Sudarshan North America Inc.

76 N. Walnut street,
Ridgewood NJ,
USA 07450.
Tel: +1 201 882 2135
Fax: +1 201 882 0157
e-mail: usa@sudarshan.com

Stability

Stable for at least 1 month at RT and 40°C.

Stable for at least 1 month at 50°C.

Sudarshan Chemical Industries Ltd.

Global Head Office:
162 Wellesley Road, Pune
411001, India
Tel : +91 20 260 58 888
Fax : +91 20 260 58 222
e-mail : cosmeticpigments@sudarshan.com

Sudarshan Europe BV

Crystal tower, 24th floor, Orlyplein 10,
PO Box 58176, 1040 HD, Amsterdam,
The Netherlands
Tel: +31 (0)20 475 2311
Fax: +31 (0)20 475 2312
e-mail: eu@sudarshan.com

www.sudarshan.com

Sudarshan North America Inc.

76 N. Walnut street,
Ridgewood NJ,
USA 07450.
Tel: +1 201 882 2135
Fax: +1 201 882 0157
e-mail: usa@sudarshan.com