

Face Cream - "Lifting Action 4 Men"

Ref: MG0653

Men's Grooming

Product Name	INCI Name	%WW	Supplier
A			
		100.00	
Montanov 68	Cetearyl Glucoside (and) Cetearyl Alcohol	4.00	www.seppic.com
Arlatone MAP 230K-40	Potassium C12-13 Alkyl Phosphate	0.20	www.croda.com
Shea Butter	Butyrospermum Parkii Butter	2.50	www.jandekker.com
Myritol 318	Caprylic/Capric Triglyceride	1.00	www.cognis.com
Tegosoft OS	Ethylhexyl Stearate	1.50	www.evonik.com
dl-alpha-Tocopheryl Acetate	Tocopheryl Acetate	0.50	www.jandekker.com
Xiameter PMX-200			
Silicone Fluid 350cs	Dimethicone	0.50	www.dowcorning.com
Cosmedia SP	Sodium Polyacrylate	0.35	www.cognis.com
Eutanol G	Octyldodecanol	4.00	www.cognis.com
Xiameter PMX-0345	Cyclomethicone		
Cyclosiloxane		4.00	www.dowcorning.com
B			
Water	Aqua	70.85	
Pricerine 9090	Glycerin	5.00	www.croda.com
C			
Prestige® Soft Orange	Mica (and) Titanium Dioxide	1.00	www.sudarshan.com
Micropoly 250S	Polyethylene	1.00	www.micropowders.com
	Glycerin (and) Butylene Glycol (and) Aqua (and) Carbomer (and) Polysorbate-20 (and) Palmitoyl Oligopeptide (and) Palmitoyl Tetrapeptide-3		
Matrixyl 3000		3.00	www.sederma.fr
	Phenoxyethanol (and) Methylparaben (and) Ethylparaben (and) Butylparaben		
Uniphen P-23		0.50	www.induchem.com
Relaxing Soft	Fragrance	0.10	www.bell-europe.com

Procedure

1. Weigh in phase A and phase B and heat up to 75°C separately
2. Add phase B slowly to phase A while stirring
3. Add phase C step by step to phase AB and stir until homogeneous
4. Pour into an appropriate container

Sudarshan Chemical Industries Ltd.

Global Head Office:
162 Wellesley Road, Pune
411001, India
Tel : +91 20 260 58 888
Fax : +91 20 260 58 222
e-mail : cosmeticpigments@sudarshan.com

Sudarshan Europe BV

Crystal tower, 24th floor, Orlyplein 10,
PO Box 58176, 1040 HD, Amsterdam,
The Netherlands
Tel: +31 (0)20 475 2311
Fax: +31 (0)20 475 2312
e-mail: eu@sudarshan.com

Sudarshan North America Inc.

76 N. Walnut street,
Ridgewood NJ,
USA 07450.
Tel: +1 201 882 2135
Fax: +1 201 882 0157
e-mail: usa@sudarshan.com

Stability

Stable for at least 6 months at RT and 40°C.

Stable for 1 month at 50°C.

Sudarshan Chemical Industries Ltd.

Global Head Office:
162 Wellesley Road, Pune
411001, India
Tel : +91 20 260 58 888
Fax : +91 20 260 58 222
e-mail : cosmeticpigments@sudarshan.com

Sudarshan Europe BV

Crystal tower, 24th floor, Orlyplein 10,
PO Box 58176, 1040 HD, Amsterdam,
The Netherlands
Tel: +31 (0)20 475 2311
Fax: +31 (0)20 475 2312
e-mail: eu@sudarshan.com

www.sudarshan.com

Sudarshan North America Inc.

76 N. Walnut street,
Ridgewood NJ,
USA 07450.
Tel: +1 201 882 2135
Fax: +1 201 882 0157
e-mail: usa@sudarshan.com