

## Natural Body Bronzer - "Summer Skin"

Skin Care

Ref: SC0506

Product Name	INCI Name	%WW	Supplier
<b>A</b>			
		100.00	
Water	Aqua	71.00	-
Glycerine	Glycerine	5.00	-
Rhodicare S	Xanthan Gum	0.50	<a href="http://www.cherbsloeh.de">www.cherbsloeh.de</a>
Viscarin PC 389	Chondrus crispus (carrageenan) (and) Glucose	1.00	<a href="http://www.fmcbiopolymer.com">www.fmcbiopolymer.com</a>
<b>B</b>			
Emulium Delta	Cetyl Alcohol (and) Glyceryl Stearate (and) PEG-75 stearate (and) (and) PEG-75 stearate (and) Ceteth-20 (and) Steareth-20	6.00	<a href="http://www.gattefosse.com">www.gattefosse.com</a>
Eutanol G	Octyldodecanol	3.00	<a href="http://www.cognis.com">www.cognis.com</a>
Cetiol OE	Dicaprylyl Ether	3.00	<a href="http://www.cognis.com">www.cognis.com</a>
Myritol 318	Caprylic/ Capric Triglyceride	5.00	<a href="http://www.cognis.com">www.cognis.com</a>
Lipex Shea	Butyrospermum Parkii Butter	1.50	<a href="http://www.aak.com">www.aak.com</a>
Sweet Almond Oil	Prunus Amygdalus Dulcis (Sweet Almond) Oil	0.50	<a href="http://www.aak.com">www.aak.com</a>
<b>C</b>			
Geogard Ultra	Gluconolactone (and) Sodium Benzoate	0.50	<a href="http://www.lonza.com">www.lonza.com</a>
<b>D</b>			
Prestige® Beige*	Mica (and) Titanium Dioxide (and) Iron Oxides	2.00	<a href="http://www.sudarshan.com">www.sudarshan.com</a>
Prestige® Soft Bronze*	Mica (and) Iron Oxides	1.00	<a href="http://www.sudarshan.com">www.sudarshan.com</a>

### Procedure

1. Mix phase A and phase B
2. Heat up phase A and phase B seperatly to 70°C
3. Add phase B to phase A under stirring 2000 rpm
4. After emulsifying let stirr for 10 minutes by 2000 rpm
5. Cool down while stirring, add phase C and phase D
6. Pour into an appropriate container

### Stability

Stable for at least 3 months at RT and 40°C.

#### Sudarshan Chemical Industries Ltd.

Global Head Office:  
162 Wellesley Road, Pune  
411001, India  
Tel : +91 20 260 58 888  
Fax : +91 20 260 58 222  
e-mail : [cosmeticpigments@sudarshan.com](mailto:cosmeticpigments@sudarshan.com)

#### Sudarshan Europe BV

Crystal tower,24th floor, Orlyplein 10,  
PO Box 58176, 1040 HD, Amsterdam,  
The Netherlands  
Tel: +31 (0)20 475 2311  
Fax: +31 (0)20 475 2312  
e-mail: [eu@sudarshan.com](mailto:eu@sudarshan.com)

#### Sudarshan North America Inc.

76 N. Walnut street,  
Ridgewood NJ,  
USA 07450.  
Tel: +1 201 882 2135  
Fax: +1 201 882 0157  
e-mail: [usa@sudarshan.com](mailto:usa@sudarshan.com)