

## Light Bronzing Fluid - "Auburn"

Skin Care

Ref: SC0774

Product Name	INCI Name	%WW	Supplier
<b>A</b>			
		100.00	
Prestige Soft Bronze	Mica (and) Iron Oxides	0.50	<a href="http://www.sudarshan.com">www.sudarshan.com</a>
Prestige Bright Bronze	Mica (and) Iron Oxides	1.00	
Water	Aqua	80.25	
Allantoin	Allantoin	0.15	<a href="http://www.3v.com">www.3v.com</a>
Kotilen-O/1 VL	Polysorbate 80	0.60	<a href="http://www.kolb.ch">www.kolb.ch</a>
Dow Corning 9509	Dimethicone (and) Vinyltrimethicone Crosspolymer (and) C12-14 Pareth-12	5.00	<a href="http://www.dowcorning.com">www.dowcorning.com</a>
Glycerin, 85%	Glycerin	2.50	<a href="http://www.wagnerlanolin.de">www.wagnerlanolin.de</a>
D-Panthenol 75 L	Panthenol	0.80	<a href="http://www.dsm.com">www.dsm.com</a>
<b>B</b>			
Abil Care 85	Bis-PEG/ PPG-16/ 16 PEG/ PPG16/ 16 Dimethicone, Caprylic/ Capric Triglyceride	1.70	<a href="http://www.evonik.com">www.evonik.com</a>
Miglyol 812	Caprylic/ Capric Triglyceride	2.50	<a href="http://www.sasolwax.com">www.sasolwax.com</a>
Xiameter PMX-0345	Cyclomethicone	3.10	<a href="http://www.dowcorning.com">www.dowcorning.com</a>
Cyclosiloxane			
dl-alpha-Tocopheryl Acetate	Tocopheryl Acetate	0.50	<a href="http://www.jandekker.com">www.jandekker.com</a>
<b>C</b>			
Acritamer 934	Carbomer	0.40	<a href="http://www.ritacorp.com">www.ritacorp.com</a>
<b>D</b>			
NaOH (10%)	Sodium Hydroxide (and) Water Phenoxyethanol (and) Methylparaben (and) Butylparaben (and) Ethylparaben (and) Propylparaben (and)	0.40	
Phenonip	Isobutylparaben	0.40	<a href="http://www.clariant.com">www.clariant.com</a>
Sexy Silk	Fragrance	0.20	<a href="http://www.drom.com">www.drom.com</a>

### Procedure

1. Mix ingredients of phase A
2. Add one by one phase B while stirring
3. Add phase C and stir until uniform
3. Add the ingredients of phase D

### Stability

Stable for at least 6 months at RT and 40°C.

Stable for at least 1 month at 50°C.

#### Sudarshan Chemical Industries Ltd.

Global Head Office:  
162 Wellesley Road, Pune  
411001, India  
Tel : +91 20 260 58 888  
Fax : +91 20 260 58 222  
e-mail : [cosmeticpigments@sudarshan.com](mailto:cosmeticpigments@sudarshan.com)

#### Sudarshan Europe BV

Crystal tower, 24th floor, Orlyplein 10,  
PO Box 58176, 1040 HD, Amsterdam,  
The Netherlands  
Tel: +31 (0)20 475 2311  
Fax: +31 (0)20 475 2312  
e-mail: [eu@sudarshan.com](mailto:eu@sudarshan.com)

#### Sudarshan North America Inc.

76 N. Walnut street,  
Ridgewood NJ,  
USA 07450.  
Tel: +1 201 882 2135  
Fax: +1 201 882 0157  
e-mail: [usa@sudarshan.com](mailto:usa@sudarshan.com)